
JUSTICE

JU401

JUSTICES OF THE PEACE ACT 2004**RESIGNATIONS**

It is hereby notified for public information that the Minister has accepted the resignation of—

Nicholas Andrew Agocs of Bedford
Sydney Florindo Brunalli of Maddington
Bryan Raymond Joy of Pearsall
Geoffrey Desmond Metzke of Southern Cross
Gregory Robert Payne of Falcon
Vilma Watts formerly of Warburton
Peter Stuart Wood of Wyalkatchem

from the Office of Justice of the Peace for the State of Western Australia.

JOANNE STAMPALIA, Executive Director, Court and Tribunal Services.

LOCAL GOVERNMENT

LG501

BUSH FIRE ACT 1954*Shire of Cunderdin***FIREBREAK NOTICE**

Pursuant to the powers contained in Section 33 of the *Bush Fire Act 1954*, notice is hereby given to all owners and occupiers of land within the Shire of Cunderdin that Council has adopted the following requirements to prevent the outbreak or spread of a bushfire within the Shire.

Non-Restricted Burning Period

1st April – 19th September (No Permits Required)

Landholders must still take necessary precautions to keep their fires under control and on their own properties.

Restricted Burning Period

1st October – 1st November (Permits Required)

*Permits are required for all fires lit during this Restricted Burning period and must be obtained from your local Fire Control Officer or the Shire of Cunderdin who will explain the conditions under which fires may be lit.

Prohibited Burning Period

2nd November – 14th February

No Burning Allowed**Restricted Burning Period**

15th February – 31st March (Permits Required)

The above dates may change due to seasonal fire conditions in which case the details of the changes will be published in the local press and on Council's Website.

Permits are available from the Fire Control Officers advertised.

NOTICE OF FUEL REDUCTION AND FIREBREAK REQUIREMENTS

As a measure for preventing the outbreak of a bush fire, or for preventing the spread or extension of a bush fire which may occur, all owners and occupiers of land within the district of the Shire are required, unless otherwise specified in this notice, before the 20th day of September in any year, to clear firebreaks or to take measures in accordance with this notice and maintain those firebreaks and measures up to and including the 30th day of April in the following year.

Town Site Land**Land Area of less than 2024m²**

All hazardous material is to be removed from the whole of the land except living trees, shrubs and plants. The remaining vegetation is to be maintained to a height of no greater than 7.5cm. Maintain fuel loadings in natural bush areas at less than 8 tonnes per hectare across the land.

Land Area greater than 2024m² and less than 5 Hectares

Bare earth Firebreaks of not less than three (3) metres in width must be constructed inside the boundary or 3 metres outside the boundary. Where there is a road free of flammable material, applications can be made annually to the Chief Fire Control Officer for exemption.

Rural Land**(Surrounding Buildings/Haystacks/Fuel Dumps)**

At least 20 metres wide and not more than 100 metres from the perimeter of all buildings and/or haystacks or groups of buildings and/or haystacks and/or fuel dumps so as to completely surround the buildings, haystacks and/or fuel dumps or so as to effectively surround the buildings, haystacks and/or fuel dumps which may be combined with strategic breaks e.g. roads, clear ground etc, with an effective cleared width of 20 metres.

Fuel Dumps

In respect of land owned or occupied by you, on which is situated any fuel dump, in addition to the requirements in previous paragraphs you shall remove all flammable materials or material likely to become flammable during summer from land occupied by bulk storage tanks and/or drums used for storage of liquid fuel whether the bulk storage tanks and/or drums contain liquid fuel or not. This includes the land on which ramps for holding the drums are constructed.

The flammable material free ground must be maintained to a distance of at least 3 metres outside the perimeter of any drum, stack of drums or drum ramp or bulk storage tank.

Burning of Chaff Heaps

The burning of chaff heaps must be conducted from 12:00am Monday with no further ignitions to take place after 11:59pm Wednesday. This is to ensure that all chaff heaps that have been ignited have been burnt down before Saturday reducing the risk of reignition over a weekend.

STUART HOBLEY, Chief Executive Officer.

LG502**BUSH FIRES ACT 1954***City of Kalamunda***FIRE HAZARD REDUCTION NOTICE 2021/2022**

All Owners and Occupiers of Land Within the City of Kalamunda

Compliance Due Before: 1 November 2021

Assessments Commence from: 1 November 2021

Important: The works outlined below must be completed by 1 November 2021 and maintained in this state up to and including 31 March 2022.

Pursuant to Section 33 of the *Bush Fires Act 1954*, the City of Kalamunda (City) gives written notice to act as specified in this notice to land that you own and/or occupy and with respect to any matter which is upon the land that you own and/or occupy within the City.

Failure or neglect to comply with this notice is an offence and can result in a penalty of up to \$5000. The City advises that its officers, servants, workmen, contractors, vehicles, machinery, and appliances (as the officers deem fit) may carry out the requisitions of this notice that are not complied with by the date specified above, and any costs and expenses incurred may be recovered from you as the owner and/or occupier of the land.

ALL LAND WITH A TOTAL AREA OF 4000m² OR MORE**Fire breaks**

Install or upgrade a 3-metre-wide by 4-metre-high clearance, bare mineral earth, continuous (no dead ends) trafficable fire break as close as possible inside the entire perimeter of the land. Maintained, reticulated living lawns that are kept completely green is acceptable in conjunction with, or in lieu of, a mineral earth fire break/s (see definition FIRE BREAK).

Dead Flammable Material (DFM)

Maintain all dead flammable material below 8 tonne per hectare (see definition FUEL LOAD).

Slashing

Slash, mow, or trim dead grasses, dead shrubs, and dead plants to a height no greater than 50mm and remove cuttings/swath across the entire property.

Asset Protection Zone (APZ)

Maintain a fuel reduced zone around all buildings or assets which extends 20 metres from the outermost point of the building or asset—

- Gutters, roofs, and walls of all buildings to be free of flammable matter and maintained.
- Fuel load within the 20-metre zone is reduced and maintained to no more than 2 tonne per hectare.
- Trees over 5 metres in height within the 20-metre zone to be under pruned up to 2 metres.
- Trees or shrubs within 2 metres of the asset shall be pruned to a height no greater than 2 metres and/or pruned away from the asset to a distance no greater than 2 metres.